

TOOL ASSORTMENTS



Electric master case

		Master case KLASSIK "Electric white goods"	Master case PERFEKT "Electric white goods"	Master case PERFEKT "Electric white goods"	Master case KLASSIK "Electric white goods"
Article no., equipped with tool case		17 0333	17 5333	17 5410	17 6410
Article no.		Master case KLASSIK 17 0075	Master case PERFEKT 17 5075	Master case PERFEKT 17 5075	Master case KLASSIK 17 0075
Description		s. catalogue p. 10	s. catalogue p. 12	s. catalogue p. 12	s. catalogue p. 10
Telephone pliers with straight jaws	200 mm	•	•	•	•
Telephone pliers with bent jaws	200 mm	•	•		
Round nose pliers	160 mm	•	•		
Combination pliers	180 mm	•	•	•	•
Heavy duty diagonal pliers	200 mm	•	•	•	•
Wire stripper 0.5 to 6 mm ²	160 mm	•	•	•	•
Water pump pliers	250 mm	•	•		
Electronic diagonal pliers	115 mm	•	•	•	•
Electronic needle nose pliers with bent jaws	130 mm			•	•
Tweezers, bent, pointed, finely ridged jaws	120 mm			•	•
Flexible pick-up tool	540 mm			•	•
Control mirror, 30 mm diameter	275 mm			•	•
Electrician slot-head screwdriver	3.0 x 0.5 x 100 mm	•	•	•	•
(Blade dimensions)	4.0 x 0.8 x 100 mm	•	•	•	•
	5.5 x 1.0 x 125 mm	•	•	•	•
	6.5 x 1.2 x 150 mm	•	•	•	•
Electrician crosshead screwdriver	PH 1 x 80 mm	•	•	•	•
(Blade dimensions)	PH 2 x 100 mm	•	•	•	•
	PZ 1 x 80 mm	•	•	•	•
	PZ 2 x 100 mm	•	•	•	•
Insulated screw-holding screwdriver	4.0 x 0.8 x 125 mm			•	•
Electronic slot-head screwdriver	2.0 x 0.4 x 60 mm	•	•		
Angled slot-head screwdriver	5.0 x 0.65 x 100 mm			•	•
Angled Phillips screwdriver	PH 1 and PH 2 x 100 mm			•	•
Hexagon socket wrench	5.5 mm			•	•
(Wrench size across flats)	7 mm			•	•
	8 mm			•	•
	10 mm			•	•
Set of socket wrenches 1/4"	33 piece	•	•		
Hex key (Allen) set, 7 pieces	2.5 to 10 mm	•	•		
Voltage tester, 120 to 250 V AC	140 mm	•	•	•	•
Universal shears	190 mm	•	•	•	•
Telephone scissors, ridged	130 mm			•	•
Varnish stripper 0.6 mm (AWG 22)	125 mm			•	•
Automatic cable stripping knife	8 to 28 mm diameter	•	•	•	•
Cable stripping knife with plastic handle	with scraper	•	•	•	•
Pocket saw PROFI	150 mm span width	•	•		
Square awl, 6 mm (reamer)	100 mm	•	•		
Safety cross peen hammer	300 g	•	•		
Electronic solder 60% Sn, 1.5 mm	100 g	•	•		
Quantity of tools		27	27	31	31



17 0333



17 5333



17 5410



17 6410

Electric master case

		Master case DIAMANT 30 "Electric"	Master case DIAMANT 40 "Electric"
Article no., equipped		17 0431	17 5431
with tool case		Master case DIAMANT 30	Master case DIAMANT 40
Article no.		17 8075	17 8175
Description		s. catalogue p. 13	s. catalogue p. 13
Telephone pliers with straight jaws	200 mm	•	•
Telephone pliers with bent jaws	200 mm	•	•
Round nose pliers	160 mm		
Combination pliers	180 mm	•	•
Heavy duty diagonal pliers	200 mm	•	•
Wire stripper 0.5 to 6 mm ²	160 mm	•	•
Water pump pliers	250 mm	•	•
Electronic diagonal pliers	115 mm	•	•
Electronic needle nose pliers with bent jaws	130 mm		
Tweezers, bent, pointed, finely ridged jaws	120 mm		
Flexible pick-up tool	540 mm		
Control mirror, 30 mm diameter	275 mm		
Electrician slot-head screwdriver	3.0 x 0.5 x 100 mm	•	•
(Blade dimensions)	4.0 x 0.8 x 100 mm	•	•
	5.5 x 1.0 x 125 mm	•	•
	6.5 x 1.2 x 150 mm	•	•
Electrician Phillips screwdriver	PH 1 x 80 mm	•	•
(Blade dimensions)	PH 2 x 100 mm	•	•
	PZ 1 x 80 mm	•	•
	PZ 2 x 100 mm	•	•
Insulated screw-holding screwdriver	4.0 x 0.8 x 125 mm		
Electronic slot-head screwdriver	2.0 x 0.4 x 60 mm	•	•
Angled slot-head screwdriver	5.0 x 0.65 x 100 mm		
Angled Phillips screwdriver	PH 1 and PH 2 x 100 mm		
Hexagon socket wrench	5.5 mm		
(Wrench size across flats)	7 mm		
	8 mm		
	10 mm		
Set of socket wrenches 1/4"	33 piece		
Hex key (Allen) set, 7 pieces	2.5 to 10 mm	•	•
Voltage tester, 120 to 250 V AC	140 mm	•	•
Universal shears	190 mm	•	•
Telephone shears, ridged	130 mm		
Varnish stripper 0.6 mm (AWG 22)	125 mm		
Automatic cable stripping knife	8 to 28 mm diameter	•	•
Cable stripping knife with plastic handle	with scraper	•	•
Pocket saw PROFI	150 mm span width	•	•
Square awl, 6 mm (reamer)	100 mm	•	•
Safety cross peen hammer	300 g		
Electronic solder 60% Sn, 1.5 mm	100 g		
Quantity of tools		23	23



17 0431



17 5431



17 0331



1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

**Master case
KLASSIK
“Electric”**

**Master case
BOMBER
“Electric”**

**Master case
PERFEKT
“Electric”**

**Master case
MODULAR
“Electric”**

**Master case
MEGA-WHEEL
“Electric”**

17 0331

17 0376

17 5331

17 1076

17 0374

Master case
KLASSIK

Master case
BOMBER

Master case
PERFEKT

Master case
MODULAR

Master case
MEGA-WHEEL

17 0075

17 0076

17 5075

17 1000

17 0074

s. catalogue p. 10

s. catalogue p. 11

s. catalogue p. 12

s. catalogue p. 11

s. catalogue p. 11

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

23

23

23

23

23



17 0376



17 5331



17 1076



17 0374

Electrician apprentice case



17 0300



17 2004



17 0500



17 0512



17 0600



17 0602

Article no., equipped with tool case	17 0300	17 2004
Article no.	17 0924	
Description	see catalogue page 16	with 2 tool boards, bottom shell, document compartment
Telephone pliers with straight jaws	200 mm	•
Telephone pliers with bent jaws	200 mm	•
Combination pliers	180 mm	•
Water pump pliers	250 mm	
Screw pliers	M2 to M6	
S-opening pipe pliers	49 mm span width	
Diagonal pliers	160 mm	•
Heavy duty diagonal pliers	200 mm	•
Electronic diagonal pliers		
Cable shears for copper and aluminium cables	200 mm	
Wire stripper 0.5 to 6 mm ²	160 mm	
Automatic wire stripper SENSOR SPECIAL		
Wire stripper SUPER 4 PLUS	0.2 to 6 mm ²	•
Wire stripper SUPER 4	0.5 to 4 mm ²	•
Electrician slot-head screwdriver (Blade dimensions)	3.0 x 0.5 x 100 mm	•
	3.5 x 0.6 x 100 mm	•
	4.0 x 0.8 x 100 mm	•
	5.5 x 1.0 x 125 mm	•
	6.5 x 1.2 x 150 mm	•
Electrician Phillips screwdriver (Blade dimensions)	PH 1 x 80 mm	•
	PH 2 x 100 mm	•
	PZ 1 x 80 mm	•
	PZ 2 x 100 mm	•
Screwdriver combi-profile	PZ FL 1 x 80 mm	
	PZ FL 2 x 100 mm	
TORX® screwdriver	T 10 x 60 mm	
	T 15 x 75 mm	
	T 20 x 100 mm	
	T 25 x 100 mm	
Hex key set	9 pieces	
Express spanner	Size 17-19	
Plier wrench PowerGRIP	250 mm	
Universal switch cabinet key		
Voltage tester, 120 to 250 V AC	140 mm	•
Automatic cable stripping knife	8 to 28 mm ø	•
Cable stripping knife with wooden handle	with scraper	•
Universal knife, 2-component, professional design	135 mm	•
Pocket saw PUK	150 mm span width	•
Pipe cutter, ø 3-35 mm	160 mm	
Electrician's chisel	250 x 10 mm	
Steel wire brush, 4-row	290 mm	
Painter's spatula	width 40 mm	•
Plaster cup made of soft rubber	125 mm ø	•
Water brush	24 mm ø	•
Cross peen hammer with ash handle	300 g	•
Wooden folding ruler	2 m	•
Electrician's safety spirit level	600 mm	•
Cabinet spirit level with magnet	200 mm	•
Carpenter's pencil, black	240 mm	•
click'n' crimp parallel - ELECTRICAL ENGINEERING		
Quantity of tools	23	23

1000-Volt safety tool assortments



**Master Case
KLASSIK
“Electric
safety”
17 0370**

Article no., equipped

with tool case

Master case
KLASSIK RED

Article no.

17 0070

Description

s. catalogue p. 10



17 0370



17 5370



17 0378

Telephone pliers with straight jaws	200 mm	•
Telephone pliers with bent jaws	200 mm	•
Round nose pliers	160 mm	•
Combination pliers	180 mm	•
Heavy duty diagonal pliers	200 mm	•
Wire stripper 0.5 to 6 mm ²	160 mm	•
Electrician slot-head screwdriver (Blade dimensions)	2.5 x 0.4 x 75 mm 4.0 x 0.8 x 100 mm	• •
	6.5 x 1.2 x 150 mm	•
	8.0 x 1.2 x 175 mm	•
Electrician Phillips screwdriver (Blade dimensions)	PH 1 x 80 mm PH 2 x 100 mm	• •
	PZ 1 x 80 mm PZ 2 x 100 mm	• •
Insulated screw-holding slot-head screwdriver (without VDE) (Blade dimensions)	3.0 x 0.5 x 100 mm 4.0 x 0.8 x 125 mm	• •
Insulated screw-holding Phillips screwdriver (without VDE) (Blade dimensions)	PH 1 x 150 mm PH 2 x 175 mm	• •
Angled hex key (Allen)	5 mm	•
(Wrench size across flats)	6 mm	•
Hexagon socket wrench, 1000 V-insulated (Wrench size across flats)	5.5 mm 7 mm 8 mm 10 mm	• • • •
Single-ended open-end spanner, 1000 V-insulated (Wrench size across flats)	10 mm 13 mm 17 mm 19 mm 22 mm	• • • • •
Flat nose pliers made of solid plastic	200 mm	•
VDE ratchet (reversible), 1/2" square drive	250 mm long	
VDE T-socket wrench, 1/2" square drive	200 mm long	
Hex socket, 1000 V-insulated (Wrench size across flats)	10 mm 11 mm 13 mm 14 mm 17 mm 19 mm	
Plastic clip for holding rubber cloths	160 mm	
Rubber drape, insulating up to 1000 Volt	1000 x 1000 x 1.6 mm	
Slip-on snouts 1000 V, up to 10 mm diameter	Numbered “No. 1” Numbered “No. 2” Numbered “No. 3”	5 pieces 5 pieces 5 pieces
PVC adhesive tape, red, 25 mm wide	25 m	•
NH safety handle, according to VDE standard	for fuses Size 00 to 3	•
Electric safety gloves, insulating up to 1000 V	Size 10	•
2-pole voltage tester	12 to 690 V AC / DC	•
Cable shears, up to 12 mm cables, 1000 V VDE	160 mm	•
Automatic cable stripping knife, fully insulated	8 to 28 mm diameter	•
Safety cable knife, 1000 V-insulated	with straight, solid blade	•
Quantity of tools		47

Tool assortments network technology / telecommunications / electronics

Master case
"Mechatronik"

17 0334

Master case

KLASSIK

17 0075

s. catalogue p. 10

Article no., equipped

with tool case

Article no.

Description

Telephone pliers with straight jaws	200 mm	
Telephone pliers with bent jaws	200 mm	
Telephone pliers	160 mm	•
Combination pliers	180 mm	
Diagonal pliers	160 mm	•
Water pump pliers	250 mm	
Electronic diagonal pliers	115 mm	
Electronic needle nose pliers with bent jaws	130 mm	
Electronic flat nose pliers with short, wide jaws	130 mm	
Crimping pliers ECONOMY for cable connectors	220 mm	•
Crimping pliers for unshielded modular plugs connectors	4-, 6- and 8-pin	
Crimping tool click 'n' crimp network technology	with 3 pairs of inserts	
Tweezers, straight, pointed, plain jaws	120 mm	
Tweezers, bent, pointed, finely ridged jaws	120 mm	
Electrician slot-head screwdriver	2.5 x 0.4 x 75 mm	•
(Blade dimensions)	3.0 x 0.5 x 100 mm	•
	4.0 x 0.8 x 100 mm	•
	5.5 x 1.0 x 125 mm	•
	6.5 x 1.2 x 150 mm	
Electronic slot-head screwdriver	2.0 x 0.4 x 60 mm	
(Blade dimensions)	2.5 x 0.4 x 75 mm	
	3.0 x 0.5 x 75 mm	
	3.5 x 0.6 x 100 mm	
	4.0 x 0.8 x 150 mm	
Electrician Phillips screwdriver	PH 0 x 60 mm	
(Blade dimensions)	PH 1 x 80 mm	•
	PH 2 x 100 mm	•
	PZ 1 x 80 mm	•
	PZ 2 x 100 mm	•
Electronic Phillips screwdriver	PH 0 x 60 mm	
(Blade dimensions)	PH 1 x 80 mm	
Voltage tester, 120 to 250 V AC	140 mm	
Double fork spanner	6 x 7 mm	
(Wrench size across flats)	8 x 9 mm	
	10 x 11 mm	•
	12 x 13 mm	•
	14 x 15 mm	•
	16 x 17 mm	
	17 x 19 mm	•
	18 x 19 mm	
	20 x 22 mm	
Hex key (Allen) set, 7 pieces	2.5 to 10 mm	•
Torx key set		•
Universal switch cabinet key	made of metal, with bits	•
One-hand cable shears, up to 12 mm cables	160 mm	
Universal shears	190 mm	
Telephone shears	130 mm, ridged	
	130 mm, flat	
Precision wire stripper PWS "Plus"	to 0.8 mm ø	
Wire stripper		•
Cable sheath stripper COAXI	to 7.5 mm ø	
Sheath stripper for data cables PC-STRIP	to 15 mm ø	
Automatic cable stripping knife with hook-shaped blade	8 to 28 mm ø	
Data cable wire stripper DATA STRIP		
Cable stripping knife with wooden handle	with scraper	
Pocket saw PUK	150 mm span width	
Insertion tool ECONOMY	For LSA-Plus terminals	
Wooden folding ruler	2 m	
Tape measure		•
Universal pressurised air spray can	400 ml	
Safety cross peen hammer		•
Number of tools		21



17 0334



17 0310



17 3210

Electrical engineer tool case

Article no., equipped with tool case		Tool case CHAMPION	Mounting case "Energy and building technology"	Tool case "Electric ENGINEER I "	Tool case "Electric ENGINEER II "	Tool case "Electric ENGINEER III "
		17 5230	17 0173	17 6350	17 6326	17 6328
		Tool case CHAMPION	Tool case	Tool case made of cowhide	Tool case made of cowhide	Tool case made of cowhide
Article no.		17 0930	17 0073	17 6027	17 6028	17 6028
Description		s. catalogue p. 10	s. catalogue p. 10	s. catalogue p. 16	s. catalogue p. 16	s. catalogue p. 16
Telephone pliers with straight jaws	200 mm	•	•	•	•	•
Telephone pliers with bent jaws	200 mm	•	•	•	•	•
Round nose pliers	160 mm	•	•	•	•	•
Combination pliers	180 mm	•	•	•	•	•
Diagonal pliers	145 mm	•	•	•	•	•
	160 mm	•	•	•	•	•
Heavy duty diagonal pliers	200 mm	•	•	•	•	•
Wire stripper 0.5 to 6 mm ²	160 mm	•	•	•	•	•
Water pump pliers	250 mm	•	•	•	•	•
Fitting pliers	250 mm	•	•	•	•	•
Electronic diagonal pliers	115 mm	•	•	•	•	•
Electronic needle nose pliers with bent jaws	130 mm	•	•	•	•	•
Tweezers, straight, flat-round jaws, insulated	145 mm	•	•	•	•	•
Electrician slot-head screwdriver	2.5 x 0.4 x 100 mm	•	•	•	•	•
(Blade dimensions)	3.0 x 0.5 x 100 mm	•	•	•	•	•
	4.0 x 0.8 x 100 mm	•	•	•	•	•
	5.5 x 1.0 x 125 mm	•	•	•	•	•
	6.5 x 1.2 x 150 mm	•	•	•	•	•
	8.0 x 1.2 x 175 mm	•	•	•	•	•
Electrician Phillips screwdriver	PH 0 x 60 mm	•	•	•	•	•
(Blade dimensions)	PH 1 x 80 mm	•	•	•	•	•
	PH 2 x 100 mm	•	•	•	•	•
	PZ 1 x 80 mm	•	•	•	•	•
	PZ 2 x 100 mm	•	•	•	•	•
Insulated screw-holding screwdriver	4.0 x 0.8 x 125 mm	•	•	•	•	•
Electronic slot-head screwdriver	2.0 x 0.4 x 60 mm	•	•	•	•	•
Electronic Phillips screwdriver	PH 1 x 80 mm	•	•	•	•	•
Angled slot-head screwdriver	5.0 x 0.65 x 100 mm	•	•	•	•	•
Angled Phillips screwdriver	PH 1 and PH 2 x 100 mm	•	•	•	•	•
Hexagon socket wrench	5.5 mm	•	•	•	•	•
(Wrench size across flats)	7 mm	•	•	•	•	•
	8 mm	•	•	•	•	•
	10 mm	•	•	•	•	•
Bit case, 10 pieces		•	•	•	•	•
Hex key (Allen) set, 7 pieces	2.5 to 10 mm	•	•	•	•	•
Hex key (Allen) set, 9 pieces	1.5 to 10 mm	•	•	•	•	•
Adjustable spanner	160 mm	•	•	•	•	•
Universal switch cabinet key	made of metal, with bits	•	•	•	•	•
Voltage tester, 120 to 250 V AC	140 mm	•	•	•	•	•
One-hand cable shears, up to 12 mm cables	160 mm	•	•	•	•	•
Universal shears	190 mm	•	•	•	•	•
Telephone shears, ridged	130 mm	•	•	•	•	•
Wire stripper	0.5 - 4 mm ²	•	•	•	•	•
Autom. wire stripper POWER STRIPPER	for flat and round cables	•	•	•	•	•
Super sheath stripper		•	•	•	•	•
Automatic cable stripping knife	8 to 28 mm diameter	•	•	•	•	•
Safety cable stripping knife, 1000 V insulated	Blade interchangeable	•	•	•	•	•
Cable stripping knife with plastic handle	with scraper	•	•	•	•	•
Universal knife ("carpet knife")	150 mm	•	•	•	•	•
Pocket saw PROFI	150 mm span width	•	•	•	•	•
Square awl, 6mm (reamer)	100 mm	•	•	•	•	•
Safety cross peen hammer	300 g	•	•	•	•	•
Electrician's chisel	10 x 8 x 250 mm	•	•	•	•	•
Plastic folding ruler	2 m	•	•	•	•	•
Plastic electrician spirit level	400 mm	•	•	•	•	•
Plastic winding rod	10 metres	•	•	•	•	•
Quantity of tools		15	22	24	35	45



17 5230



17 0173



17 6350



17 6326



17 6328