

HAMMERS, CHISELS, SPATULAS

Head

Mechanical blocking of the hammer head with a steel wedge, sealed with synthetic resin.



Safety sleeve

The hammer head with forged on shaft safety collar for additional stability and the protective nylon sheath for effective damping in the event of a miss-hit.

Shaft

Patented security shaft in 3-component composition: Core made of thick-walled aluminium tube in high strength alloy, coated with chemically resistant and waterproof polyamide, handle of non-slip thermoplastic rubber.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17
- 18
- 19
- 20
- 21
- 22
- 23
- 24
- 25
- 26



3-component club hammer and cross peen hammer

Ergonomic, indestructible, vibration-free – so gentle on joints. Patented head with forged on shaft safety collar made of high quality steel according to DIN. 3-component high-security shaft, patented, mechanically fixed with steel wedge for mechanical blocking, core made of aluminium alloy. Polyamide components ultra resistant to oil and solvents as well, handle and protective sheath made of thermoplastic non-slip rubber.

Cross peen hammer

Hammer weight g

| | | |
|------|---|---------|
| 300 | 6 | 13 0403 |
| 500 | 6 | 13 0405 |
| 1000 | 6 | 13 0410 |

Club hammer

Hammer weight g

| | | |
|------|---|---------|
| 800 | 6 | 13 0708 |
| 1000 | 6 | 13 0710 |
| 1250 | 6 | 13 0712 |
| 1500 | 6 | 13 0715 |

Safety cross peen hammer

Dimensions and finish according to DIN 1041, GS certified.

With forged-on protective shaft collar and additional nylon protective haft sleeve.

With double curved hickory shaft, hammer head double secured by ring wedge and synthetic resin seal.

Hammer weight g

| | | |
|------|---|---------|
| 200 | 6 | 13 0580 |
| 300 | 6 | 13 0582 |
| 400 | 6 | 13 0584 |
| 500 | 6 | 13 0586 |
| 1000 | 6 | 13 0592 |

Safety club hammer

According to DIN 6475, other processing as above

Hammer weight g

| | | |
|------|---|---------|
| 1000 | 6 | 13 0600 |
| 1250 | 6 | 13 0602 |
| 1500 | 6 | 13 0604 |

Cross peen hammer

According to DIN 1041, GS certified, with polished, curved ash shaft, hammer head secured by ring wedge.

Hammer weight g

| | | |
|-----|----|---------|
| 300 | 12 | 13 0804 |
| 500 | 6 | 13 0808 |

Club hammer

According to DIN 6475, GS certified, with polished, curved ash shaft, hammer head secured by ring wedge.

Hammer weight g

| | | |
|------|---|---------|
| 1000 | 6 | 13 0880 |
| 1250 | 6 | 13 0882 |

Plastic hammer

With replaceable Cellidor inserts, for hammering out and flattening metal sheets and frames or for use with sensitive surfaces (paint, enamel, galvanisation, chrome-plating)

| | | |
|--------------|---|---------|
| Head 35 mm ø | 6 | 13 1053 |
|--------------|---|---------|

Electrician's chisel

Made of chrome vanadium steel

Blade width Steel thickness

| mm | mm | | | |
|----|----|-----|----|---------|
| 10 | 8 | 250 | 10 | 13 0006 |
| 12 | 8 | 250 | 10 | 13 0008 |
| 15 | 10 | 250 | 10 | 13 0010 |



Stone chisel

According to DIN 7254 A, made of chrome vanadium air-hardening steel

| Blade width mm | Steel thickness mm | | | |
|----------------|--------------------|-----|----|---------|
| 26 | 20 x 12 | 250 | 10 | 13 0022 |
| 29 | 23 x 13 | 300 | 10 | 13 0024 |

Octagonal stone chisel

According to DIN 7254 B, made of chrome vanadium air-hardening steel

| Blade width mm | Steel thickness mm | | | |
|----------------|--------------------|-----|----|---------|
| 23 | 16 | 250 | 10 | 13 0032 |
| 26 | 18 | 300 | 10 | 13 0034 |

Octagonal pointed chisel

According to DIN 7256, made of chrome vanadium air-hardening steel

| Blade width mm | Steel thickness mm | | | |
|----------------|--------------------|-----|----|---------|
| 16 | 16 | 250 | 10 | 13 0052 |
| 18 | 18 | 300 | 10 | 13 0054 |

Octagonal slot chisel

Made of chrome vanadium air-hardening steel

| Blade width mm | Steel thickness mm | | | |
|----------------|--------------------|-----|----|---------|
| 30 | 18 | 240 | 10 | 13 0070 |

Pointed punch

For centring drill holes, according to DIN 7250, octagonal, made of chrome vanadium air-hardening steel

| Blade width mm | Steel thickness mm | | | |
|----------------|--------------------|-----|----|---------|
| 10 | 10 | 120 | 10 | 13 0210 |

Drift punch set with pointed punch

Made of chrome vanadium air hardened steel, length 120 mm, in plastic container, for cutting through sheet metal and thin metals, pin punching and driving in nails

1 each of the following: 1 - 2 - 3 - 4 - 5 mm ø, pointed punch 120 x 10 mm

| Blade width mm | Steel thickness mm | | | |
|----------------|--------------------|---|--|---------|
| 120 | 10 | 1 | | 13 0354 |

Pin punch

Made of chrome vanadium steel, length 150 mm, in plastic container, for punching out pins, dowel pins and clips from drill holes

1 each of the following: 3-4-5-6-7-8 mm ø

| Blade width mm | Steel thickness mm | | | |
|----------------|--------------------|---|--|---------|
| 150 | 10 | 1 | | 13 0358 |

Nail setter

Made of chromium molybdenum vanadium air-hardening steel, completely hardened and head tempered.

For setting steel nails with a cylindrical shaft and thread (holder M6)

| Blade width mm | Steel thickness mm | | | |
|----------------|--------------------|---|--|---------|
| M 6 | 170 | 1 | | 13 0075 |

Hand protection for nail setter

| Blade width mm | Steel thickness mm | | | |
|----------------|--------------------|---|--|---------|
| | | 1 | | 13 0076 |

Bevelled edge chisel

According to DIN 5139, with side bevel, polished wooden haft and blade protection

| Blade width mm | | | | |
|----------------|-----|---|--|---------|
| 10 | 245 | 1 | | 13 0524 |
| 15 | 260 | 1 | | 13 0530 |
| 20 | 270 | 1 | | 13 0534 |
| 22 | 275 | 1 | | 13 0536 |
| 26 | 275 | 1 | | 13 0538 |



1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26

Painter's spatula

Made of steel, ground blade, with oval wooden haft

| Width mm | | | | |
|----------|-----|----|----|------|
| 25 | 185 | 12 | 13 | 1322 |
| 40 | 185 | 12 | 13 | 1324 |
| 50 | 205 | 12 | 13 | 1326 |
| 60 | 205 | 12 | 13 | 1328 |



Double spatula

Plastic covered handle

| Width mm | | | | |
|----------|-----|----|----|------|
| 20 | 225 | 10 | 13 | 1404 |



Plasterer's spatula

According to DIN 6441 C, with painted wooden haft

| Width mm | | | | |
|----------|--|---|----|------|
| 60 | | 5 | 13 | 1420 |
| 70 | | 5 | 13 | 1422 |



Plaster pan

Made of sheet steel, hot-dip galvanised, with polished wooden haft

| Height 75 mm | ø 180 mm | | | |
|--------------|----------|---|----|------|
| | | 1 | 14 | 0302 |



Plaster cup

Made of soft rubber

| Height 90 mm | ø 125 mm | | | |
|--------------|----------|---|----|------|
| | | 1 | 14 | 0306 |



Water brush

Pure bristles

| ø 24 mm | | | | |
|---------|--|----|----|------|
| | | 36 | 14 | 0310 |



Chalk line roller

With push-system, storage space for serrated hooks and belt clip, body made of metal, cord length 15 m, including 60 g coloured powder

| | | | | |
|--|--|---|----|------|
| | | 1 | 14 | 0320 |
|--|--|---|----|------|

Coloured powder, grease and oil-free, in plastic bottle

| | | | | |
|------|-------|---|----|------|
| blue | 100 g | 1 | 14 | 0322 |
|------|-------|---|----|------|

