


# SCREWDRIVER, ELECTRONIC SCREWDRIVER



## Reduced insulation

For optimum accessibility of recessed screws with the SLIM blade version.



## Screw system marking

The handle end of the screwdrivers is marked with a symbol for the screw system and size. This allows the user to pick out the "right" tool at a glance (an advantage in your tool bag for example).

## Blade

The specially hardened and high-alloy steel guarantees a long service life. Due to the machined precision of all VDE types in the screw head.

## Insulation

All insulated 3K screwdrivers are not only VDE/GS approved, they also fulfil the new, enhanced IEC 60900:2005 standard without compromise. This specifies, among other things, an individual item test in a water bath with a testing voltage of 10,000 V.

## Quick rotation zone

A slim quick rotation zone with good grip allows particularly precise, sensitive work.

## Handle

The three-component handle with its rounded triangular shape and curved longitudinal contour allow for fatigue-free work.

## Markings

- Permanently on the handle with standard specifications:
- IEC 60900:2005
  - VDE GS double strike
  - Voltage range AC 1000 V
  - C = Increased impact resistance for extreme cold
  - EAN Code

## Insulated screwdrivers according to IEC 60900:2005, classification VDE 0682, part 201. Individually tested in a water bath with a testing voltage of 10,000 V.

### Electrician screwdriver

according to DIN EN 60900; VDE 0682 - 201:2005 - 01; DIN ISO 2380

2.5 x 0.4	75	160	12	11 7701
3.0 x 0.5	100	185	12	11 7702
3.5 x 0.6	100	185	12	11 7703
4.0 x 0.8	100	185	12	11 7704
5.5 x 1.0	125	220	12	11 7705
6.5 x 1.2	150	245	12	11 7706
8.0 x 1.2	175	285	12	11 7708
10.0 x 1.6	200	310	12	11 7710



### Phillips cross-head screwdriver

according to DIN EN 60900; VDE 0682 - 201:2005 - 01; DIN ISO 8764

PH 0	60	145	12	11 7730
PH 1	80	165	12	11 7731
PH 2	100	195	12	11 7732
PH 3	150	260	12	11 7733

### Pozidriv crosshead screwdriver

according to DIN EN 60900; VDE 0682 - 201:2005 - 01; DIN ISO 8764

PZ 0	60	145	12	11 7740
PZ 1	80	165	12	11 7741
PZ 2	100	195	12	11 7742
PZ 3	150	260	12	11 7743

### Special screwdrivers with combination profile

according to DIN EN 60900; VDE 0682 - 201:2005 - 01

for combined slot-head/crosshead screws in electrical equipment, e.g. terminal blocks

PZ FL 1	80	165	12	11 7751
PZ FL 2	100	195	12	11 7752
Set PZ FL 1 and PZ FL 2 (CIMCO article no. 11 7751 and 11 7752)			1	11 7750
PH FL 1	80	165	12	11 7757
PH FL 2	100	195	12	11 7758

### Hex key (Allen wrench)

according to DIN EN 60900; VDE 0682 - 201:2005 - 01

Size 3	75	160	12	11 7823
Size 4	75	160	12	11 7824
Size 5	75	170	12	11 7825
Size 6	100	195	12	11 7826
Size 8	100	210	12	11 7828

### TORX® screwdriver

according to DIN EN 60900; VDE 0682 - 201:2005 - 01

T 8	60	145	12	11 7908
T 9	60	145	12	11 7909
T 10	60	155	12	11 7910
T 15	75	170	12	11 7915
T 20	100	195	12	11 7920
T 25	100	195	12	11 7925
T 30	100	210	12	11 7930

### Nut drivers

according to DIN EN 60900; VDE 0682 - 201:2005 - 01

Size 5.5	125	220	12	11 7805
Size 6	125	220	12	11 7806
Size 7	125	235	12	11 7807
Size 8	125	235	12	11 7808
Size 9	125	235	12	11 7809
Size 10	125	235	12	11 7810
Size 11	125	235	12	11 7811
Size 13	125	235	12	11 7813

**Electrician screwdriver set, 7 pieces**

VDE electrician screwdrivers for slot-head screws

2.5 x 0.4 x 75	11 7701
3.0 x 0.5 x 100	11 7702
4.0 x 0.8 x 100	11 7704
5.5 x 1.0 x 125	11 7705

VDE crosshead screwdriver

PH 1 x 80	11 7731
PH 2 x 100	11 7732
VDE voltage tester (250 V AC)	11 1280

1 11 7800


**Electrician screwdriver set, 7 pieces**

VDE electrician screwdrivers for slot-head screws

2.5 x 0.4 x 75	11 7701
3.0 x 0.5 x 100	11 7702
4.0 x 0.8 x 100	11 7704
5.5 x 1.0 x 125	11 7705

VDE crosshead screwdriver

PZ 1 x 80	11 7741
PZ 2 x 100	11 7742
VDE voltage tester (250 V AC)	11 1280

1 11 7802


**Slot-head screwdriver set, 5 pieces**

VDE electrician screwdriver for slot-head screws

2.5 x 0.4 x 75	11 7701
3.5 x 0.6 x 100	11 7703
4.0 x 0.8 x 100	11 7704
5.5 x 1.0 x 125	11 7705
6.5 x 1.2 x 150	11 7706

1 11 7700


**Crosshead screwdriver set, 6 pieces**

VDE crosshead screwdriver

PH 1 x 80	11 7731
PH 2 x 100	11 7732
PH 3 x 150	11 7733
PZ 1 x 80	11 7741
PZ 2 x 100	11 7742
PZ 3 x 150	11 7743

1 11 7745


**Hex key (Allen wrench) set, 5 pieces**

VDE hex key

Size 3 x 75	11 7823
Size 4 x 75	11 7824
Size 5 x 75	11 7825
Size 6 x 100	11 7826
Size 8 x 100	11 7828

1 11 7820


**TORX® screwdriver set, 5 pieces**

VDE TORX® screwdriver

T 8 x 60	11 7908
T 10 x 60	11 7910
T 15 x 75	11 7915
T 20 x 100	11 7920
T 25 x 100	11 7925

1 11 7900




### Nut driver set, 5 pieces

VDE nut driver

Size 5.5 x 125	11 7805
Size 7 x 125	11 7807
Size 8 x 125	11 7808
Size 10 x 125	11 7810
Size 13 x 125	11 7813
1 11 7801	



### VDE screwdriver set ELEKTRO-MEGA-DRIVE, 13 pieces

VDE electrician screwdriver for slot-head screws

2.5 x 0.4 x 75	11 7701
3.0 x 0.5 x 100	11 7702
4.0 x 0.8 x 100	11 7704
5.5 x 1.0 x 125	11 7705

VDE crosshead screwdriver

PH 1 x 80	11 7731
PH 2 x 100	11 7732
PZ 1 x 80	11 7741
PZ 2 x 100	11 7742

VDE TORX® screwdriver

T 10	11 7910
T 15	11 7915
T 20	11 7920
T 25	11 7925

VDE voltage tester (250 V AC)	11 1280
1 11 7000	



### VDE SLIM screwdriver set, 5 pieces

for optimal accessibility of recessed screws

VDE electrician screwdriver for slot-head screws

3.0 x 0.6 x 100 mm
4.0 x 0.8 x 100 mm
5.5 x 1.0 x 125 mm

VDE crosshead screwdriver

PZ 1 x 80 mm	
PZ 2 x 100 mm	
1 11 7850	



### Non-insulated screwdriver with uncoated, matt chromium-plated blade

#### Workshop screwdriver

according to ISO 2380

3.5 x 0.6 x 75	160	12	11 7103
4.0 x 0.8 x 100	185	12	11 7104
5.5 x 1.0 x 125	220	12	11 7105
6.5 x 1.2 x 150	245	12	11 7106
8.0 x 1.2 x 150	260	12	11 7107
8.0 x 1.6 x 175	285	12	11 7108
10.0 x 1.6 x 200	310	12	11 7110



#### Electrician screwdriver

2.5 x 0.4 x 75	160	12	11 7121
3.0 x 0.5 x 100	185	12	11 7122
3.5 x 0.6 x 100	185	12	11 7123
4.0 x 0.8 x 100	185	12	11 7124
5.5 x 1.0 x 125	220	12	11 7125
5.5 x 1.0 x 200	295	12	11 7126





### Phillips cross-head screwdriver

according to DIN ISO 8764

PH 0 x 60	145	12	11 7130
PH 1 x 80	165	12	11 7131
PH 2 x 100	195	12	11 7132
PH 3 x 150	260	12	11 7133

### Pozidriv cross-head screwdriver

according to DIN ISO 8764 - 1

PZ 0 x 60	145	12	11 7140
PZ 1 x 80	165	12	11 7141
PZ 2 x 100	195	12	11 7142
PZ 3 x 150	260	12	11 7143

### TORX® screwdriver with bore (tamper resistant)

T 6 x 60 (without bore)	135	12	11 7306
T 7 x 60	135	12	11 7307
T 8 x 60	145	12	11 7308
T 9 x 60	145	12	11 7309
T 10 x 80	175	12	11 7310
T 15 x 80	175	12	11 7315
T 20 x 100	195	12	11 7320
T 25 x 100	195	12	11 7325
T 30 x 115	225	12	11 7330
T 40 x 115	225	12	11 7340

### Ball-end hex key (Allen wrench)

according to DIN 5265

Size 3 x 100	185	12	11 7223
Size 4 x 100	185	12	11 7224
Size 5 x 100	195	12	11 7225
Size 6 x 125	220	12	11 7226
Size 8 x 150	260	12	11 7228

### Hexagon nut driver

according to DIN 3125

Size 5 x 125	210	12	11 7204
Size 5.5 x 125	210	12	11 7205
Size 6 x 125	210	12	11 7206
Size 7 x 125	220	12	11 7207
Size 8 x 125	220	12	11 7208
Size 9 x 125	220	12	11 7209
Size 10 x 125	220	12	11 7210
Size 11 x 125	235	12	11 7211
Size 13 x 125	235	12	11 7213
Size 14 x 125	235	12	11 7214
Size 17 x 125	235	12	11 7217

### Stubby screwdrivers

with 2-component handle, for slot-head screws

5.5 x 1.0 x 38	95	12	11 0290
6.5 x 1.2 x 38	95	12	11 0294

for Phillips crosshead screws

PH 1 x 38	95	12	11 0120
PH 2 x 38	95	12	11 0122

### Slot-head screwdriver

according to DIN ISO 2380, long design

5.5 x 1.0 x 300	410	12	11 7112
-----------------	-----	----	---------



### Phillips cross-head screwdriver

according to DIN ISO 8764, long design

Blade size (W x H x L mm)	Total length mm	PU	Article no.
PH 1 x 300	400	12	11 7114
PH 2 x 300	410	12	11 7116



### Screwdriver set, 3 pieces

Slot-head screwdriver

5.5 x 1.0 x 300			11 7112
-----------------	--	--	---------

Crosshead screwdriver

PH 1 x 300			11 7114
------------	--	--	---------

PH 2 x 300			11 7116
------------	--	--	---------

		1	11 7102
--	--	---	---------



### Screwdriver set, 6 pieces

Electrician screwdriver

2.5 x 0.4 x 75			11 7121
----------------	--	--	---------

4.0 x 0.8 x 100			11 7124
-----------------	--	--	---------

Workshop screwdriver

5.5 x 1.0 x 125			11 7105
-----------------	--	--	---------

6.5 x 1.2 x 150			11 7106
-----------------	--	--	---------

Crosshead screwdriver

PH 1 x 80			11 7131
-----------	--	--	---------

PH 2 x 100			11 7132
------------	--	--	---------

		1	11 7100
--	--	---	---------



### Slot-head screwdriver set, 6 pieces

Electrician screwdriver

2.5 x 0.4 x 75			11 7121
----------------	--	--	---------

3.5 x 0.6 x 100			11 7123
-----------------	--	--	---------

4.0 x 0.8 x 100			11 7124
-----------------	--	--	---------

Workshop screwdriver

5.5 x 1.0 x 125			11 7105
-----------------	--	--	---------

6.5 x 1.2 x 150			11 7106
-----------------	--	--	---------

8.0 x 1.2 x 150			11 7107
-----------------	--	--	---------

		1	11 7101
--	--	---	---------



### Crosshead screwdriver set, 6 pieces

Phillips

PH 1 x 80			11 7131
-----------	--	--	---------

PH 2 x 100			11 7132
------------	--	--	---------

PH 3 x 150			11 7133
------------	--	--	---------

Pozidriv

PZ 1 x 80			11 7141
-----------	--	--	---------

PZ 2 x 100			11 7142
------------	--	--	---------

PZ 3 x 150			11 7143
------------	--	--	---------

		1	11 7145
--	--	---	---------



### TORX® screwdriver set with bore, 5 pieces

T 8 x 60			11 7308
----------	--	--	---------

T 10 x 80			11 7310
-----------	--	--	---------

T 15 x 80			11 7315
-----------	--	--	---------

T 20 x 100			11 7320
------------	--	--	---------

T 25 x 100			11 7325
------------	--	--	---------

		1	11 7300
--	--	---	---------



- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17
- 18
- 19
- 20
- 21
- 22
- 23
- 24
- 25
- 26

### Ball-end hex key set (Allen wrench), 5 pieces

Size 3 x 100			11 7223
Size 4 x 100			11 7224
Size 5 x 100			11 7225
Size 6 x 125			11 7226
Size 8 x 150			11 7228
	1		11 7220



### Nut driver set, 5 pieces

Size 5.5 x 125			11 7205
Size 7 x 125			11 7207
Size 8 x 125			11 7208
Size 10 x 125			11 7210
Size 13 x 125			11 7213
	1		11 7200



### Insulated screw-holding screwdriver

Blades made of chrome vanadium steel, with impact-resistant plastic haft and holding device for slot-head screws

3 x 0.5 x 100	185	12	11 0782
4 x 0.8 x 125	215	12	11 0784
5 x 1.0 x 150	250	12	11 0786
6 x 1.2 x 175	275	12	11 0788

for Phillips crosshead screws

PH 0 x 125	215	12	11 0790
PH 1 x 150	250	12	11 0792
PH 2 x 175	275	12	11 0794



### Screw-holding screwdriver set, 5 pieces

Slot-head screwdriver

3 x 0.5 x 100			11 0782
4 x 0.8 x 125			11 0784
5 x 1.0 x 150			11 0786

Phillips cross-head screwdriver

PH 0 x 125			11 0790
PH 1 x 150			11 0792
	1		11 0796



### Workshop screwdriver VSM STANDARD

with two-component handles and black blade tips covered with a tube

3.5 x 0.5 x 90 (size 1)	180	12	11 7511
4.0 x 0.6 x 100 (size 2)	190	12	11 7512
5.5 x 0.8 x 120 (size 3)	220	12	11 7513
6.5 x 1.0 x 140 (size 4)	250	12	11 7514
8.0 x 1.2 x 160 (size 5)	270	12	11 7515



## Workshop screwdriver VSM STANDARD

Blades according to the Swiss standard VSM 35601, made of high-alloy chrome vanadium steel, high gloss chromium-plated, with black tips, handles made of impact-resistant, transparent plastic bare blades

3.5 x 0.5 x 90 (size 1)	170	12	11 4706
6.5 x 1.0 x 140 (size 4)	240	12	11 4712

blades covered with a tube

3.5 x 0.5 x 90 (size 1)	170	12	11 4736
5.5 x 0.8 x 120 (size 3)	220	12	11 4740
6.5 x 1.0 x 140 (size 4)	240	12	11 4742

## Phillips cross-head screwdriver

PH 1 x 80	170	12	11 4762
PH 2 x 100	200	12	11 4764
PH 3 x 150	270	12	11 4766

## Torque screwdrivers

Mechanics made exclusively of metal components guarantee outstanding stability and wear resistance. The torque (tolerance range  $\pm 5\%$ ) can be adjusted without additional tools and the locking mechanism prevents unintentional adjustment. When the torque is achieved a clear clicking sound can be heard. The torque limiting mechanism grabs when you tighten a screw, so you can loosen screws even with high torques. The 2-component handle has a replacement blade holder and is supplied in the set with replacement blades, roll-up case and test certificate.

Size 4.0 x 160 mm

Contains one each of: 0.5 x 3.0 - 0.6 x 3.5 - 0.8 x 4.0 - PZ 0 - PZ 1 - PZ FL 1 - magnetic bit holder - roll-up case

Tightening torque 0.5 x 1.5 Nm adjustment step 0.025 Nm, 160 mm	1	11 4800
Tightening torque 1.5 x 4.0 Nm adjustment step 0.05 Nm, 160 mm	1	11 4802

Replacement blades (size 4.0 x 160 mm) of molybdenum vanadium steel, chrome-plated:

0.4 x 2.0	1	11 4810
0.4 x 2.5	1	11 4812
0.5 x 3.0	1	11 4814
0.6 x 3.5	1	11 4816
0.8 x 4.0	1	11 4818
PH 00	1	11 4820
PH 0	1	11 4822
PH 1	1	11 4824
PZ 0	1	11 4826
PZ 1	1	11 4828
PZ FL 1	1	11 4830
PZ FL 2	1	11 4831
T 5	1	11 4832
T 6	1	11 4834
T 7	1	11 4836
T 8	1	11 4838
T 9	1	11 4840
T 10	1	11 4842
T 15	1	11 4844
T 20	1	11 4846
T 25	1	11 4848
Size 1.5	1	11 4850
Size 2.0	1	11 4852
Size 2.5	1	11 4854
Size 3.0	1	11 4856
Size 4.0	1	11 4858
Size 1/4"	1	11 4860
Magnetic bit holder	1	11 4862





### Precision clockmaker's screwdriver set

in steel sheet case, screwdriver with nickel-plated brass handle, 6 pieces,  
one each of 1 - 1.5 - 1.8 - 2.3 - 2.9 - 3.6 mm blade width

			1	11 1810
--	--	--	---	---------



### Offset screwdriver

according to DIN 5200, made of chrome vanadium steel, nickel-plated  
for slot-head screws

5.0 x 0.65 x 100			12	11 0620
------------------	--	--	----	---------



for Phillips crosshead screws

PH 1 + PH 2 x 100			12	11 0630
-------------------	--	--	----	---------



### Awls

made of chrome vanadium steel, with large, impact-resistant plastic haft for the required pressure and rotating movement.

ø mm	L mm	design		
6	100	○ (punch)	12	11 0480
6	100	□ (reamer)	12	11 0482



### Precision screwdriver (electronic screwdriver)

The optimum tools especially for smallest screws in electronic and electrical components, radio and stereo systems, telephone systems and all communication technology connections, for precision mechanics, electronics, model making and similar precision work, blades made of special steel, colour-coded ring for marking the screw system

Slot-head screwdriver (colour code white)

1.0 x 0.18 x 40	140	12	11 1860
1.2 x 0.25 x 40	140	12	11 1861
1.8 x 0.3 x 60	160	12	11 1863
2.0 x 0.4 x 60	160	12	11 1864
2.5 x 0.4 x 75	175	12	11 1865
3.0 x 0.5 x 75	175	12	11 1866
3.5 x 0.6 x 100	200	12	11 1868
4.0 x 0.8 x 100	200	12	11 1869
4.0 x 0.8 x 150	250	12	11 1870



Phillips cross-head screwdriver (colour code light blue)

PH 000 x 40	140	12	11 1875
PH 00 x 40	140	12	11 1876
PH 0 x 60	160	12	11 1877
PH 1 x 80	180	12	11 1880
PH 1 x 150	250	12	11 1881



TORX® screwdriver (colour code light green)

T 5 x 50	150	12	11 1889
T 6 x 50	150	12	11 1890
T 7 x 50	150	12	11 1891
T 8 x 60	160	12	11 1892
T 9 x 60	160	12	11 1893
T 10 x 80	180	12	11 1894
T 15 x 80	180	12	11 1895



Hex key (Allen wrench, colour code yellow)

Size 0.7 x 40	140	12	11 1910
Size 0.9 x 40	140	12	11 1911
Size 1.3 x 40	140	12	11 1912
Size 1.5 x 50	150	12	11 1913
Size 2.0 x 50	150	12	11 1914
Size 2.5 x 60	160	12	11 1915
Size 3.0 x 60	160	12	11 1916



**Electronic screwdriver set, 7 pieces**

for slot-head screws

1.0 x 0.18 x 40	140	11 1860
1.2 x 0.25 x 40	140	11 1861
1.8 x 0.3 x 60	160	11 1863
2.0 x 0.4 x 60	160	11 1864
2.5 x 0.4 x 75	175	11 1865
3.5 x 0.6 x 100	200	11 1868
4.0 x 0.8 x 150	250	11 1870
		1 11 1898

**Electronic screwdriver set, 7 pieces**

for Phillips crosshead screws

PH 000 x 40	140	11 1875
PH 00 x 40	140	11 1876
PH 0 x 60	160	11 1877
PH 1 x 80	180	11 1880
PH 1 x 150	250	11 1881
for Pozidriv crosshead screws		
PZ 0 x 60	160	11 1886
PZ 1 x 80	180	11 1887
		1 11 1909

**Electronic screwdriver set, 7 pieces**

for slot-head screws

2.0 x 0.4 x 60	160	11 1864
2.5 x 0.4 x 75	175	11 1865
3.0 x 0.5 x 75	175	11 1866
3.5 x 0.6 x 100	200	11 1868
4.0 x 0.8 x 150	250	11 1870
for Phillips crosshead screws		
PH 0 x 60	160	11 1877
PH 1 x 80	180	11 1880
		1 11 1901

**Electronic screwdriver set, 7 pieces**

for TORX® screws

T 5 x 50	150	11 1889
T 6 x 50	150	11 1890
T 7 x 50	150	11 1891
T 8 x 60	160	11 1892
T 9 x 60	160	11 1893
T 10 x 80	180	11 1894
T 15 x 80	180	11 1895
		1 11 1903

**Electronic hex key (Allen wrench) set, 7 pieces**

for hex socket screws

Size 0.7 x 40	140	11 1910
Size 0.9 x 40	140	11 1911
Size 1.3 x 40	140	11 1912
Size 1.5 x 50	150	11 1913
Size 2.0 x 50	150	11 1914
Size 2.5 x 60	160	11 1915
Size 3.0 x 60	160	11 1916
		1 11 1920



## Electronic safety screwdriver set, 7 pieces

according to IEC 60900:2005, blade, insulation and handle are inseparably connected to each other, routine testing in a water bath with a test voltage of 10,000 Volts.



for slot-head screws

Blade size (W x H x L mm)	Total length mm	PU	Article no.
1.5 x 0.3 x 40	140		11 2000
1.8 x 0.3 x 60	160		11 2002
2.0 x 0.4 x 60	160		11 2004
2.5 x 0.4 x 75	175		11 2006
3.0 x 0.5 x 75	175		11 2008

for Phillips crosshead screws

PH 00 x 40	140		11 2020
PH 0 x 60	160		11 2022

1 11 2050



6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26