

STORAGE AND TRANSPORT SYSTEMS




- Tools organised according to area of application (screwdrivers, pliers, screwing tools etc.)



- All foam inserts are half the size of a drawer for individual arrangement



- Non-slip holding position thanks to high clamping force and precise fit



- Two-colour design enables quick detection of missing tools
- Foam modules can also be ordered individually



Configure your own individual foam insert!
Really easy, with the new ITSS foam configurator at www.cimco.de.

- Quite simple: www.cimco.de leads you directly to the virtual ITSS configurator
- The 2D smartphone scan enables the use of your specific tools
- Online calculation and order confirmation ensure reliable cost transparency before production



raaco COMPACT

Transport and storage case made of highly impact-resistant polypropylene, making it lightweight and extremely wear-resistant (no dents and cracks, chemically resistant), can be used as a stool thanks to its extraordinary stability, has removable tool carrier that can hold the variable CARRY-LITE 55/boxxser 55 programme inserts, double bail handle with integrated locking system prevents case from opening unintentionally, 2 side carrying handles (COMPACT 37 upwards)

COMPACT 20

with 6 inserts, without dividing walls, without drawers, no option of fitting carrying strap and castors, weight 1.9 kg

474 x 239 x 190 mm 1 41 7173

**COMPACT 27**

with 6 inserts, without dividing walls, with 2 drawers, no option of fitting carrying strap and castors, weight 2.6 kg

474 x 239 x 248 mm 1 41 7180

**COMPACT 37**

with 7 inserts, 3 dividing walls for individual subdivision of interior, without drawers, with option of fitting carrying strap and castors, weight 3.7 kg

540 x 296 x 230 mm 1 41 7197

**COMPACT 47**

with 7 inserts, 3 dividing walls for individual subdivision of interior, with 2 drawers, with option of fitting carrying strap and castors, weight 4.6 kg

540 x 296 x 292 mm 1 41 7203

**COMPACT 62**

with 10 inserts, 1 dividing wall for individual subdivision of interior, with 4 drawers, with option of fitting carrying strap and castors, weight 7.1 kg

621 x 311 x 322 mm 1 41 7227

**Carrying strap for COMPACT**

for COMPACT models 37, 47 and 62, attach by simply clipping onto special hooks on the case, length continuously adjustable from 0.9 to 1.6 m, weight only 150 g

1 41 4059

**Set of castors for COMPACT**

4 swivelling castors, 2 with locking device, for COMPACT models 37, 47 and 62, simple to install by inserting into bottom of case, weight (set) 600 g

1 41 3656



raaco Tool Taco

The new flexible system with a sporty design offers a very simple way to set up your toolbox in a completely individual manner. With the help of accompanying pockets, holders and component boxes, the Tool Taco can be changed at any time according to need. A generous opening provides easy access to the tools. The box is equipped with an efficient holder for tools of all shapes and sizes (max. 30 mm ø).

Additional features: 4 strong hooks to attach the shoulder strap, elastic bands on the side, for example to hold gloves or knee pads, strong magnets for locking the lid, robust, lightweight hardshell construction, water-proof, lightweight, waterproof, etc.

Tool Taco L

with 1 x 1/2 Tool Fix, 1 x 1/4 Tool Fix, 1 x boxxser 55 4 x 4-9, ergonomically shaped, padded shoulder strap.
Weight 3.6 kg.

| | | |
|--------------------|---|---------|
| 256 x 504 x 234 mm | 1 | 43 6006 |
|--------------------|---|---------|



Tool Taco XL


2 x 1/2 Tool Fix, 1 x boxxser 55 4 x 4-9, ergonomically shaped, padded shoulder strap.
Weight 4.5 kg.

| | | |
|--------------------|---|---------|
| 311 x 616 x 278 mm | 1 | 43 6013 |
|--------------------|---|---------|

Tool Fix

Holder for tools of all shapes up to max. ø 30 mm. Strong Velcro tape for holding tools in the Tool Taco.

| | | | |
|-----|-------------------|---|---------|
| 1/4 | 150 x 118 x 40 mm | 1 | 43 6020 |
| 1/2 | 150 x 238 x 40 mm | 1 | 43 6037 |



Handbag

For storing tools and accessories. Can be combined with Tool Fix of the same size (bag 1/2 open will also fit in a boxxser 55 4 x 4). Sturdy clip for simple and secure attachment to Tool Taco.

| | | | |
|--------------|-------------------|---|---------|
| 1/4 open | 155 x 145 x 55 mm | 1 | 43 1009 |
| 1/2 open | 155 x 255 x 55 mm | 1 | 43 1016 |
| 1/4 with lid | 160 x 150 x 65 mm | 1 | 43 1023 |
| 1/2 with lid | 160 x 265 x 65 mm | 1 | 43 1030 |



Saw holder

Holder for saw (max. 24") plus universal holder (max. width 70 mm). With two clips for simple and secure attachment to the Tool Taco.

| | | |
|-------------------|---|---------|
| 155 x 570 x 25 mm | 1 | 43 1047 |
|-------------------|---|---------|



Cover

Waterproof protective cover for Tool Taco protects against rain and dust.

| | | | |
|----|------------------|---|---------|
| L | 535 x 495 x 5 mm | 1 | 43 1061 |
| XL | 695 x 615 x 5 mm | 1 | 43 1078 |



raaco boxxser – Set case

The boxxser series consists of 6 case variants in 2 different heights, made of shock-proof and break-proof polycarbonate in a double-wall construction, profile grid in lid and base secure the case contents during transport, two fixed partitions (next to the handle) provide space for storing small parts or accessories. The integrated profile guides on the base protect and secure the set case when stacked. Handle with integrated locking mechanism prevents the case from coming open when carried.



raaco boxxser 80

incl. 3 labelling clips (yellow, green, grey)

| type (grid dimension L x W - inserts) | dimensions (mm) | | |
|---------------------------------------|-----------------|---|---------|
| boxxser 80 (5 x 10- 0) | 421 x 361 x 78 | 1 | 43 4255 |
| boxxser 80 (5 x 10-14) | 421 x 361 x 78 | 1 | 43 4262 |
| boxxser 80 (5 x 10-20) | 421 x 361 x 78 | 1 | 43 4279 |
| boxxser 80 (5 x 10-25) | 421 x 361 x 78 | 1 | 43 4286 |
| boxxser 80 (8 x 8- 0) | 465 x 401 x 78 | 1 | 43 4224 |
| boxxser 80 (8 x 8-18) | 465 x 401 x 78 | 1 | 43 4231 |
| boxxser 80 (8 x 8-20) | 465 x 401 x 78 | 1 | 43 4248 |



raaco boxxser 55

incl. 3 labelling clips (yellow, green, grey)

| Type (grid dimensions L x W - inserts) | Dimensions (mm) | | |
|--|-----------------|---|---------|
| boxxser 55 (4 x 4- 0) | 241 x 225 x 55 | 1 | 43 4385 |
| boxxser 55 (4 x 4- 9) | 241 x 225 x 55 | 1 | 43 4392 |
| boxxser 55 (4 x 4-11) | 241 x 225 x 55 | 1 | 43 4408 |
| boxxser 55 (5 x 5- 0) | 298 x 284 x 55 | 1 | 43 4354 |
| boxxser 55 (5 x 5-13) | 298 x 284 x 55 | 1 | 43 4361 |
| boxxser 55 (5 x 5-15) | 298 x 284 x 55 | 1 | 43 4378 |
| boxxser 55 (6 x 6- 0) | 354 x 323 x 55 | 1 | 43 4323 |
| boxxser 55 (6 x 6-12) | 354 x 323 x 55 | 1 | 43 4347 |
| boxxser 55 (6 x 6-14) | 354 x 323 x 55 | 1 | 43 4330 |
| boxxser 55 (5 x 10- 0) | 421 x 361 x 55 | 1 | 43 4293 |
| boxxser 55 (5 x 10-25) | 421 x 361 x 55 | 1 | 43 4309 |
| boxxser 55 (5 x 10-45) | 421 x 361 x 55 | 1 | 43 4316 |



HANDYBOX for raaco boxxser

Strong, handy transport device that holds up to 4 Boxxser set cases 55 4 x 4 or 5 x 5 as drawers, carrying handle, transport locking mechanism prevents the set cases from sliding out.

Dimensions: 342 x 347 x 305 mm

| | | |
|--|---|---------|
| for boxxser 55, 4 x 4, incl. 4 x 43 4392 | 1 | 43 7942 |
| empty | 1 | 43 7935 |
| for boxxser 55, 5 x 5, incl. 4 x 43 4378 | 1 | 43 7966 |
| empty | 1 | 43 7959 |



Foam insert for raaco boxxser


pre-perforated, for simple individual division (20 mm cubes)

| | | |
|-------------------------|---|---------|
| 393 mm x 273 mm x 20 mm | 1 | 43 4583 |
|-------------------------|---|---------|



Labelling clips for raaco boxxser

| | | |
|-----------------|---|---------|
| grey, 4 piece | 1 | 43 4453 |
| yellow, 4 piece | 1 | 43 4446 |
| green, 4 piece | 1 | 43 4460 |



CARRY-LITE service case

Lightweight storage and carrying case with a flexible design, interior dividers can be varied at any time with transparent inserts in many different sizes, lower shell of case made of polypropylene, case lid made of clear, transparent polycarbonate, lid with U-profiles for non-slip storage of materials and loose inserts, ergonomic carrying handle, two strong slide locks, stackable, can also be set up on edge.

CARRY-LITE 150

Service case 150 mm tall, 413 mm long, 330 mm wide. Interior division can be individually designed using dividers instead of inserts.

| | | |
|---|---|---------|
| with 8 dividers = 9 individual compartments | 1 | 41 8958 |
|---|---|---------|

CARRY-LITE 80

Service case with 80 mm height, 413 mm length, 330 mm width, grid layout 10 lengthwise x 5 wide

| | | |
|------------------------|-----------------------------|-----------|
| empty, without inserts | 1 | 41 7494 |
| with 15 inserts | 5 x 80-BA8-1, 10 x 80 BA7-1 | 1 41 8774 |
| with 20 inserts | 15 x 80-BA8-1, 5 x 80 BA7-1 | 1 41 8743 |

CARRY-LITE 55

Service case with 55 mm height, 413 mm length, 330 mm width, grid layout 10 lengthwise x 5 wide

| | | |
|------------------------|---|-----------|
| empty, without inserts | 1 | 41 7500 |
| with 25 inserts | 25 x 55-A8-1 | 1 41 9207 |
| with 25 inserts | 10 x 55-A9-1, 5 x 55 A7-1, 10 x 55 A8-1 | 1 41 9191 |

Inserts for CARRY-LITE 80 and raaco boxxser 80

Height 69 mm

| Type | Grid dimension | | Length mm | Width mm | | |
|----------|----------------|-------|--------------|-------------|---|---------|
| | length | width | | | | |
| 80-BA8-1 | 1 | 2 | 55 | 79 | 1 | 41 9276 |
| 80-BA8-2 | 1 | 4 | 55 | 157 | 1 | 41 9283 |
| 80-BA8-3 | 1 | 6 | 55 | 235 | 1 | 41 9290 |
| 80-BA7-1 | 2 | 2 | 109 | 79 | 1 | 41 9306 |
| 80-BA7-2 | 4 | 2 | 218 | 79 | 1 | 41 9313 |
| 80-BA6-1 | 2 | 4 | 109 | 157 | 1 | 41 9320 |

Inserts for CARRY-LITE 55 and raaco boxxser 55

Height 47 mm, precise fit for drawers and tool holders for raaco COMPACT, the PSC vario models and the 250-3 cabinet drawer.



| Type | Grid dimension | | Length mm | Width mm | | |
|---------|----------------|-------|--------------|-------------|---|---------|
| | length | width | | | | |
| 55-A9-1 | 1 | 1 | 55 | 39 | 1 | 40 0274 |
| 55-A9-2 | 2 | 1 | 109 | 39 | 1 | 41 4578 |
| 55-A9-3 | 3 | 1 | 163 | 39 | 1 | 41 4653 |
| 55-A9-4 | 4 | 1 | 218 | 39 | 1 | 41 4585 |
| 55-A8-1 | 1 | 2 | 55 | 79 | 1 | 40 5590 |
| 55-A8-2 | 1 | 4 | 55 | 157 | 1 | 41 4592 |
| 55-A8-3 | 1 | 6 | 55 | 235 | 1 | 41 4608 |
| 55-A7-1 | 2 | 2 | 109 | 79 | 1 | 40 5583 |
| 55-A7-2 | 4 | 2 | 218 | 79 | 1 | 40 3695 |
| 55-A6-1 | 2 | 4 | 157 | 109 | 1 | 40 5576 |

Safe box for CARRY-LITE

High-quality storage system for CARRY-LITE service cases, made of blue lacquered steel sheet, telescopic runners mounted on ball bearings, lockable, length 451 mm, width 330 mm, height 403 mm, weight (empty) 15 kg.

Delivery includes CARRY-LITE service case

| | | |
|---|-------|---------|
| Safe box 150 incl. 2 x 41 8958 | 1 Set | 43 4569 |
| Safe box 80 incl. 3 x 41 8774 | 1 Set | 43 3067 |
| Safe box 55 incl. 2 x 41 9207 and 2 x 41 9191 | 1 Set | 43 4576 |



Transporter box for CARRY-LITE

made of durable plastic, for holding up to 3 CARRY-LITE 80 or 4 CARRY-LITE 55, with 2 or 3 insertable intermediate bottoms, incl. shoulder strap, weight (empty) 2910 g

| | | | |
|-----------------------------------|--------------------|-------|---------|
| incl. 2 x 41 8774 and 1 x 41 8743 | 562 x 361 x 250 mm | 1 Set | 40 4883 |
| incl. 2 x 41 9207 and 2 x 41 9191 | 562 x 361 x 250 mm | 1 Set | 40 8188 |



PSC set cases

Cost-effective transport and storage case for small parts, with fixed or variable dividers or without any interior dividers, made of hard-wearing polypropylene, strong slide locks with ratcheting, case lid with U-profiles for non-slip storage of material and loose inserts, stackable, can also be set up on edge

PSC fix

Set cases with fixed interior division.

| Type | Small comp. | Weight (kg) | Dimensions (mm) | | |
|--------|-------------|-------------|-----------------|---|---------|
| fix-9 | 9 | 0.3 | 240 x 195 x 43 | 1 | 41 5384 |
| fix-18 | 18 | 0.34 | 240 x 195 x 43 | 1 | 40 9963 |
| fix-15 | 15 | 0.73 | 338 x 260 x 57 | 1 | 41 5407 |
| fix-32 | 32 | 0.82 | 338 x 260 x 57 | 1 | 41 5414 |



PSC vario

Set cases with variable interior division via CARRY-LITE 55 series inserts (Grid division: 8 lengthwise x 4 wide / PSC vario-240: 4 lengthwise x 4 wide). With ergonomic carrying handle (not PSC vario 240).

| Type | Small comp. | Weight (kg) | Dimensions (mm) | | |
|-----------|--------------|-------------|-----------------|---|---------|
| vario-240 | none (empty) | 0.25 | 241 x 195 x 56 | 1 | 41 1898 |
| vario-340 | none (empty) | 0.59 | 338 x 261 x 57 | 1 | 41 2970 |
| vario-15 | 15 | 0.9 | 338 x 261 x 57 | 1 | 41 2987 |
| vario-17 | 17 | 0.89 | 338 x 261 x 57 | 1 | 40 8423 |



PSC vario

Set cases with variable interior division for CARRY-LITE 80 series inserts

| Type | Small comp. | Weight (kg) | Dimensions (mm) | | |
|----------|--------------|-------------|-----------------|---|---------|
| vario-XL | none (empty) | 0.6 | 340 x 260 x 78 | 1 | 43 0899 |



HANDYBOX for PSC set cases

Strong, handy transport device which holds up to 4 PSC set cases 57 mm tall and 340 mm long as drawers, carrying handle, transport safeguard against the PSC set cases unintentionally sliding out, connecting fittings to allow several Boxes to be mounted next to each other, also suitable for wall-mounting.

Weight (empty): 1.81 kg, dimensions: 376 x 265 x 310 mm

| | | |
|-----------------------------------|-------|---------|
| incl. 2 x 41 2987 and 2 x 40 8423 | 1 Set | 41 2004 |
| Empty | 1 | 40 1943 |



SUPERCLIPS workshop system

Large-scale system of different hooks, holders and mounting brackets for storing tools, components, electrical devices and accessories in the workshop. Clips can easily be installed and relocated at any time by simply inserting them in the special perforated panel in order to meet individual needs. Can be ideally combined with raaco storage bins and the TRD tool rack. High-quality material for continuous use in a professional environment.

SUPERCLIP 1

Straight universal hook with angular holding end, i.e. for screwdrivers


| Type | | | | |
|------|-----------------|---|---------|--|
| 1-30 | 47 x 27 x 60 mm | 5 | 41 0709 | |
| 1-60 | 55 x 27 x 60 mm | 5 | 41 0716 | |



SUPERCLIP 2

Double-hook holder with angular holding ends, hook length 60 mm, i.e. for files

| Type | | | |
|------|-----------------|---|---------|
| 2-60 | 79 x 27 x 60 mm | 3 | 41 0747 |



SUPERCLIP 3

straight universal hook with upright holding end, e.g. for ring spanners

| Type | | | |
|------|-----------------|---|---------|
| 3-75 | 55 x 27 x 60 mm | 5 | 41 0778 |

SUPERCLIP 4

Double-hook holder with vertical holding ends, hook length 50 mm, e.g. for hammers

| Type | | | |
|------|-----------------|---|---------|
| 4-50 | 79 x 50 x 60 mm | 3 | 41 0792 |

SUPERCLIP 5

Eye hook holder, i.e. for pliers

| Type | | | |
|------|------------------------------|---|---------|
| 5-17 | 53 x 45 x 60, eye 45 x 17 mm | 3 | 41 0808 |
| 5-20 | 61 x 62 x 60, eye 62 x 20 mm | 3 | 41 0815 |

SUPERCLIP 6

Rounded spring clip, open at front, i.e. for screwdrivers

| Type | | | |
|------|-----------------------|---|---------|
| 6-12 | 37 x 27 x 60, ø 12 mm | 6 | 41 0631 |
| 6-18 | 46 x 27 x 60, ø 18 mm | 6 | 41 0648 |
| 6-24 | 56 x 33 x 60, ø 24 mm | 6 | 41 0655 |

SUPERCLIP 9

Universal storage box, i.e. for small parts of all kinds

| Type | | | |
|------|------------------|---|---------|
| 9 | 108 x 83 x 60 mm | 1 | 40 4562 |

SUPERCLIP 10

Rounded holder, i.e. for drilling machines, cordless screwdrivers, heat guns, cable coils, etc

| Type | | | |
|------|-----------------|---|---------|
| 10 | 79 x 27 x 60 mm | 4 | 40 8928 |

SUPERCLIP 11

Spanner holder, for up to 8 spanners of variable sizes

| Type | | | |
|------|-------------------|---|---------|
| 11 | 145 x 237 x 45 mm | 1 | 41 4165 |

SUPERCLIP 12

Drill holder, for 22 twist drills from 1 mm to 13 mm diameter

| Type | | | |
|------|-----------------|---|---------|
| 12 | 94 x 77 x 65 mm | 1 | 41 4172 |

raaco FIX


Patented tool holding system, suitable for holding tools of all kind, i.e. screwdrivers, pliers, files, tweezers, shears, spanners, measuring tools, etc.

| | | | |
|-------|-------------------|---|---------|
| SMALL | 242 x 38 x 100 mm | 2 | 42 5833 |
| LARGE | 242 x 38 x 140 mm | 2 | 42 5840 |

Perforated panels for SUPERCLIPS

made of strong, galvanised steel sheet, for holding all raaco SUPERCLIPS, for mounting on the wall (fixing by plug/screw) or on the TRD tool rack

| | | | |
|--|-------------------|---|---------|
| | 520 x 440 x 11 mm | 1 | 41 8347 |
|--|-------------------|---|---------|



1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24


25

26

TRD tool rack for SUPERCLIPS

Strong stand of steel sheet for holding up to 6 perforated panels (CIMCO article no. 41 8347) for SUPERCLIPS or up to 6 slotted wall panels for raaco storage bins (CIMCO article no. 41 8330), delivery incl. 6 perforated panels (CIMCO article no. 41 8347), without clips, handles and castors, weight 23.5 kg

| | | | |
|-----|---------------------|---|---------|
| TRD | 570 x 570 x 1600 mm | 1 | 40 9666 |
|-----|---------------------|---|---------|



Castor and handle set for TRD tool rack

4 rubber rollers, 2 with brakes, and 2 screw-on handles turn the tool rack into a movable tool board, ideal for workshops and in manufacturing, weight of the set 1.8 kg

| | | | |
|--|--|---|---------|
| | | 1 | 41 2369 |
|--|--|---|---------|

raaco Storage cabinets

for free-standing installation (rubber feet protect from scratches and provide a firm stand), wall mounting (suspension holes for screws) and mounting on turntables for storage cabinets (see pages 39 and 40), body made of blue lacquered steel sheet, drawers made of wear-resistant, transparent polypropylene, stop rim prevents the draw from sliding out unintentionally, option of subdividing into small compartments with additional dividers, labels can be attached to front side

Storage cabinets series 150

Cabinet depth 150 mm, height 552 mm, width 306 mm, maximum load 40 kg

CABINET 60-00

fitted with 60 drawers Type 150-0, weight 5.12 kg

| | | | |
|--|--|---|---------|
| | | 1 | 40 8065 |
|--|--|---|---------|

CABINET 48-01

fitted with 48 drawers Type 150-1, weight 5.11 kg

| | | | |
|--|--|---|---------|
| | | 1 | 40 7341 |
|--|--|---|---------|

CABINET 24-02

fitted with 24 drawers Type 150-2, weight 4.58 kg

| | | | |
|--|--|---|---------|
| | | 1 | 40 7303 |
|--|--|---|---------|

CABINET 08-03

fitted with 8 drawers Type 150-3, weight 4.19 kg

| | | | |
|--|--|---|---------|
| | | 1 | 40 7297 |
|--|--|---|---------|

CABINET 16-04

fitted with 16 drawers Type 150-4, weight 4.29 kg

| | | | |
|--|--|---|---------|
| | | 1 | 40 9215 |
|--|--|---|---------|

CABINET 40-123


fitted with 36 drawers type 150-1, 3 drawers type 150-2, 1 drawer type 150-3, weight 4.93 kg

| | | | |
|--|--|---|---------|
| | | 1 | 40 7242 |
|--|--|---|---------|



Drawers for cabinets series 150

| | | | |
|-------|-------------------|---|---------|
| 150-0 | 41 x 55 x 150 mm | 1 | 40 8980 |
| 150-1 | 41 x 67 x 150 mm | 1 | 40 4692 |
| 150-2 | 64 x 91 x 150 mm | 1 | 40 4715 |
| 150-3 | 64 x 279 x 150 mm | 1 | 40 4708 |
| 150-4 | 64 x 139 x 150 mm | 1 | 40 9178 |

**Drawer dividers for cabinet series 150**

| | | | |
|---------------|-----------------|----|---------|
| for 150-0 | 31 x 52 x 2 mm | 60 | 40 1981 |
| for 150-1 | 31 x 64 x 2 mm | 48 | 40 1998 |
| for 150-2 | 50 x 87 x 2 mm | 24 | 40 2032 |
| for 150-3 /-4 | 50 x 134 x 2 mm | 16 | 40 2049 |

**Drawer labels for cabinets series 150**

White, interchangeable, individually inscribable, coated with stain-resistant, wear-resistant plastic

| | | | |
|-----------|-----------------|----|---------|
| for 150-0 | 10 x 52 x 1 mm | 60 | 40 9024 |
| for 150-1 | 10 x 64 x 1 mm | 48 | 40 7761 |
| for 150-2 | 18 x 87 x 1 mm | 24 | 40 7778 |
| for 150-3 | 18 x 275 x 1 mm | 8 | 40 7785 |
| for 150-4 | 18 x 135 x 1 mm | 16 | 40 9017 |

**Turntable for storage cabinets series 150**

to hold up to 12 cabinets of series 150, max. load-bearing capacity 480 kg, can be turned on maintenance-free roller bearings, weight without cabinets 12,5 kg, delivery without storage cabinets

| | | |
|---------------------|---|---------|
| 1760 x 680 x 680 mm | 1 | 40 3732 |
|---------------------|---|---------|

**Storage cabinets series 250**

Cabinet depth 250 mm, height 435 mm, width 357 mm, maximum load 40 kg

CABINET 24-1

fitted with 24 drawers Type 250-1, weight 6.9 kg

| | |
|---|---------|
| 1 | 40 9048 |
|---|---------|

**CABINET 8-2**

fitted with 8 drawers Type 250-2, weight 6.0 kg

| | |
|---|---------|
| 1 | 40 8560 |
|---|---------|


**CABINET 6-3**

fitted with 6 drawers Type 250-3, weight 7.2 kg

| | |
|---|---------|
| 1 | 40 8577 |
|---|---------|

**Drawers for cabinets series 250**

| | | | |
|-------|-------------------|---|---------|
| 250-1 | 58 x 80 x 250 mm | 1 | 40 7273 |
| 250-2 | 92 x 159 x 250 mm | 1 | 40 7259 |
| 250-3 | 57 x 320 x 250 mm | 1 | 40 3114 |

**Drawer dividers for cabinet series 250**

| | | | |
|-----------|-----------------|----|---------|
| for 250-1 | 46 x 75 x 3 mm | 36 | 40 6757 |
| for 250-2 | 80 x 154 x 3 mm | 12 | 40 6764 |



Drawer labels for cabinets series 250

White, interchangeable, self-adhesive, individually inscribable, coated with stain-resistant, wear-resistant plastic

| | | | |
|-----------|-----------------|----|---------|
| for 250-1 | 15 x 75 x 1 mm | 24 | 40 7792 |
| for 250-2 | 32 x 155 x 1 mm | 8 | 40 7815 |
| for 250-3 | 15 x 315 x 1 mm | 6 | 40 7822 |



Turntable for storage cabinets series 250

To hold up to 12 cabinets of series 250, max. carrying power 600 kg, can be turned on maintenance-free roller bearings, weight without cabinets 22.3 kg, delivery without storage cabinets

| | | |
|---------------------|---|---------|
| 1600 x 880 x 880 mm | 1 | 40 2582 |
|---------------------|---|---------|

raaco Storage bins

Open storage bins made of impact-resistant polypropylene, for free-standing installation, stacking, attaching to wall panels and mounting on turntable (not bin 5), with conveniently shaped handle and front side for label attachment

| | Load (kg) | Height x Width x Depth | | |
|---------------|-----------|------------------------|---|---------|
| Storage bin 1 | 5 | 50 x 125 x 133 mm | 1 | 43 6631 |
| Storage bin 2 | 5 | 75 x 125 x 173 mm | 1 | 40 3404 |
| Storage box 3 | 5 | 101 x 125 x 228 mm | 1 | 41 8354 |
| Storage box 4 | 10 | 126 x 125 x 300 mm | 1 | 41 6398 |
| Storage bin 5 | 15 | 200 x 256 x 365 mm | 1 | 43 6679 |



Wall panels for raaco storage bins

Panels of galvanised steel sheets for holding raaco storage bins 1 to 5, can be easily screw-mounted onto the wall or mounted on the raaco TRD tool rack for SUPERCLIPS (CIMCO article no. 40 9666, see page 38), with 4 vertical rows with 12 slots each = 48 slots for bins, weight 1.475 kg

| | | |
|-------------------|---|---------|
| 520 x 440 x 11 mm | 1 | 41 8330 |
|-------------------|---|---------|



Turntable for raaco storage bins

Rotating workshop and storage stand for holding (depending on the sizes of the selected bins) up to 148 storage bins.

With 6 vertical columns x 48 slots = 288 slots for bins. Ideally equipped with, e.g.

48 x bin 1, 32 x bin 2 and 24 x bin 3 (= 104 bins)

48 x bin 1, 64 x bin 2 (= 112 boxes)

32 x bin 2, 24 x bin 3 and 16 x bin 4 (= 72 bins)

48 x bin 4

Quicker access to all bins thanks to rotating tower and loadable roller bearings, max. load 450 kg, weight 27 kg

| | Load (kg) | Height x Width x Depth | | |
|-------------|-----------|------------------------|---|---------|
| Tower empty | 450 | 1600 x 655 x 655 mm | 1 | 40 2780 |



Workshop trolley, empty

- Extremely robust and strong
- Simple, convenient handling
- Rounded contours and produced according to national safety standards
- A ribbed rubber mat protects the top level
- 100% pull-out drawers, on telescopic runners mounted on ball bearings and lined with oil-resistant rubber mats
- With central locking
- 8 side compartments to store tools and equipment, 6 of which are movable
- Two fixed and two movable (one of which with locking brake)
- oil-resistant rubber wheels ø 125 mm
- Surface coating: powder coating RAL 3020
- Fitted with 7 drawers (internal dimensions: 640 x 417 mm)
 - 1 drawer: 665 x 445 x 50 mm
 - 4 drawers: 665 x 445 x 70 mm
 - 2 drawers: 665 x 445 x 168 mm
- Maximum load per drawer: 30 kg
- Total carrying weight max. 280 kg
- Dead weight: 74 kg

| | | |
|---------------|---|---------|
| Trolley empty | 1 | 17 7500 |
|---------------|---|---------|



Workshop trolley, including tool

All tools in customised foam inserts for structured, safe storage of your tools:

- Ten pre-configured ITSS foam inserts including tools
- Tools organised according to area of application (screwdrivers, pliers, screwing tools etc.)
- All foam inserts are half the size of a drawer for individual arrangement
- Non-slip holding position thanks to high clamping force and precise fit
- Two-colour design provides a quick overview of missing tools
- Foam modules can also be ordered individually



Trolley equipped

1

17 7502



Configure your own individual foam insert! Very simply, with the ITSS foam configurator at www.cimco.de.

Hard foam inserts

Screwdriver

equipped with 12 diamond Drei-Ve screwdrivers,

CIMCO article no. 11 7701, 11 7702, 11 7703, 11 7704, 11 7705, 11 7706, 11 7708, 11 7710, 11 7741, 11 7742, 11 7751, 11 7752

1

17 7510

Screwdriver/Electronics

equipped with 14 diamond Drei-Ve TORX® and electronic screwdrivers

CIMCO article no. 11 7908, 11 7909, 11 7910, 11 7915, 11 7920, 11 7925, 11 7930, 11 1864, 11 1865, 11 1866, 11 1868, 11 1870, 11 1877, 11 1880

1

17 7512

Ring spanners

equipped with 12 ring spanners

CIMCO article no. 11 2330, 11 2332, 11 2334, 11 2338, 11 2344, 11 2348, 11 2352, 11 2356, 11 2358, 11 2362, 11 2364, 11 2368

1

17 7516

Measuring and screwing tools

equipped with 9 measuring and screwing tools

CIMCO article no. 11 0596, 11 0598, 11 0604, 11 0290, 11 0294, 11 0120, 21 1442, 21 0065, 11 1282

1

17 7508

Crimping tools

equipped with 5 crimping pliers for wire end ferrules

CIMCO article no. 10 4190, 10 4192, 10 4194, 10 4200, 10 4202

1

17 7520

Pliers

equipped with 8 diamond-Plus pliers

CIMCO article no. 10 0574, 10 0216, 10 0336, 10 1224, 10 0816, 10 0528, 10 0238, 10 0802

1

17 7504

Striking tools

equipped with 6 striking tools

CIMCO article no. 13 0582, 13 1053, 13 0354, 13 0358, 13 0022, 13 0210

1

17 7506

Open-ended-ring spanners

equipped with 12 Ratchet rings and open-end spanners

CIMCO article no. 11 2508, 11 2509, 11 2510, 11 2511, 11 2512, 11 2513, 11 2514, 11 2515, 11 2516, 11 2517, 11 2518, 11 2519

1

17 7518

Stripping tools

equipped with 9 tools

CIMCO article no. 12 0028, 12 0023, 12 1027, 10 0686, 12 0030, 12 0515, 12 0081, 20 8500, 14 0205

1

17 7514

Foam empty

Configured foam with a large recess for storage of small parts, sets, etc.

1

09 7618

